

Lutron Keypads



## Contents

Aesthetic Styles Keypad Range Architectural seeTouch Keypad International seeTouch Keypad Signature Series Keypad RF seeTouch Tabletop Keypad Architrave Keypad Architrave Keypad Palladiom Keypad and Thermostat GRAFIK T Slider Pico RF Wireless Control QS Wallbox Closure Interface Colours and Finishes Custom Engraving Custom Controls

8

10

12

14

16

18

20

22

24

26

28

30

## Introduction

Lighting control refines and finishes every beautiful space. Lutron keypads complete the experience, delivering an aesthetic, inviting, and intuitive control to ensure the perfect light for everything you do.

Lutron offers a wide variety of colours, styles, finishes, and functions to help you create an environment that reflects your unique sense of design. Browse through our keypads brochure to select controls that best complement and coordinate with everything in your home or business.



lutron.com/europe

## Aesthetic Styles

Like other fixtures and fittings in your home, lighting and blind controls play an important part in the design of any room. We offer a wide range of keypads to provide attractive, intuitive control in wall-mounted and tabletop designs.

Colour, finish, and aesthetic options are illustrated in the following pages, along with information on product features. For specific information about available product colours and finishes, please see pages 26-27.

# Architectural seeTouch Keypad

Architectural-style keypads feature beveled edges and precise corners.

- Large, easy-to-use, rounded buttons
- Illuminated button labels are easy to read day or night
- Custom engraving personalises
  each control
- Contact closure inputs allow occupancy sensor integration

International seeTouch Keypad

The International seeTouch keypad provides elegant, intuitive lights and blind control.

- Large, easy-to-use, rounded buttons
- Illuminated button labels are easy to read day or night
- Custom engraving personalises
  each control
- Contact closure inputs allow occupancy sensor integration

### Signature Series Keypad

A slim, elegant solution, Signature Series keypads incorporate lighting control into standard size millwork.

- Large, easy-to-use, rounded buttons
- Illuminated button labels are easy to read day or night
- Custom engraving personalises
  each control
- Contact closure inputs allow occupancy sensor integration



lutron.com/europe

### RF seeTouch Tabletop Keypad

seeTouch tabletop keypads allow your client to have total home control from wherever it's convenient, such as bedside or countertop locations.

• Large, easy-to-use, rounded buttons

• Illuminated button labels are easy to read day or night

Custom engraving personalises
 each control

• Operates on batteries or with a plug-in transformer



## Aesthetic Styles

### Palladiom Keypad

The Palladiom keypad offers a beautiful architectural aesthetic with sleek minimalistic design.

- Buttons and faceplates are made from the same material for a coordinated look
- Large easy-to-use buttons
- User customisable, backlit text makes the keypad easy to read and provides scene status to the user
- Available globally in two styles — rectangular and square
- International (square) versions available with one or two columns
- Faceplates and buttons are available in matte plastic, metal, and glass finishes

#### Architrave Keypad

Architrave keypads offer another option for incorporating your keypads into door jambs and other millwork where traditional keypads will not work.

- Custom engraving below each button personalises each control
- Small LEDs beside each button show lighting status

## GRAFIK T Slider

This architectural touch slider establishes a new language for lighting control.

- Simple and intuitive touch control adds style to any space
- Provides local zone control of any lighting load type
- Available in Architectural matte, metal, and glass finishes

#### Pico RF Wireless Control

Versatile Pico wireless control can function as a lightweight handheld remote, a stylish tabletop control, or a wallmounted keypad.

- 2 or 3 button models with and without raise/lower capability
- Large, easy-to-use buttons
- 10-year battery life
- Models available with icons or labels for lights and blinds



#### lutron.com/europe

You can still use your favourite keypad with a Lutron system thanks to our Wallbox Closure Interface (WCI). Please see page 25 for details.

Interface

#### Wallbox Closure




losure Interface

# Keypad Range

## PRODUCT LINE COMPATIBILITY

	Comm	ercial	Window Systems	Residential
	GRAFIK Eye QS	Quantum	Sivoia QS	HomeWorks QS
Architectural seeTouch Keypad	•	•	•	•
International seeTouch Keypad	•	•	•	•
Signature Series Keypad	•	•	•	•
RF seeTouch Tabletop Keypad				•
Architrave Keypad	•	•	•	•
Palladiom Keypad and Thermostat		•		•
GRAFIK T Slider		•		•
Pico Wireless Control	•	•	•	•
QS Wallbox Closure Interface	•	•	•	•



# Architectural seeTouch Keypad






## Characteristics

Dimensions:	Front 70mm x 116mm (2. Side/depth 27mm (1.06in
Wired	Yes
Wireless	No
IR options	Yes
Button configuration	Up to 7
Status lights	Yes
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Standard U.S. backbox

## Standard configurations available





Custom<sup>\*</sup> configurations are also available. Models are available with or without an insert as shown on the opposite page.

\* Not all configurations are available for all product lines. Refer to individual product line specifications.

lutron.com/europe

.75 in	Х	4.56 in)
1)		

# International seeTouch Keypad





Dimensions:	Front 86mm x 86mm (3.5 Side/depth 28mm (1.13in
Wired	Yes
Wireless	No
IR options	Yes
Button configuration	Up to 10
Status lights	Yes
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Standard UK square or Eu

## Standard configurations available





Custom\* configurations are also available. Models are available with or without an insert as shown on the opposite page.

\* Not all configurations are available for all product lines. Refer to individual product line specifications.

#### lutron.com/europe



50 in x 3.50 in) 1)

uropean round backbox 35 mm deep minimum

	E	-		
	E			
	E	-	-	
	E.			
	12	1	-	1

	-	
	-	
	-	

	1	_	

the state of the s		
1		
in succession		
<u></u>	a manual	
-		

# Signature Series Keypad





## Characteristics

Dimensions:	Front 46mm x 121mm (1. Side/depth 41mm (1.62in
Wired	Yes
Wireless	No
IR options	No
Button configuration	Up to 7
Status lights	Yes, green or blue availabl
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Signature Series backbox 113.03 mm (high) x 39.37 (4.45 in x 1.55 in x 2.8 in)

## Standard configurations available





Custom\* configurations are also available. Models are available with or without an insert as shown on the opposite page.

\* Not all configurations are available for all product lines. Refer to individual product line specifications.

#### lutron.com/europe

.80 in	Х	4.7	5 in	I)
1)				

le

(sold separately) mm (wide) x 71.12mm (deep)

	-	1	
1		10	
	-	1	- 1
1			
2		-	
-			







5			]	
ł	1	-	4	
			1	1
4			ł	1
E	1		5	1
		-	-	-

	-	_	_	_	
				_	
			-	-	
	-	-	-	-	
				_	
	-	-	-	-	
	_	_	-	_	
	<u> </u>	_	_		
		_	_		
			-	-	
	<u> </u>		-	_	

# RF seeTouch Tabletop Keypad





## Characteristics

Dimensions:	Front 91 mm x 82 mm (3.5 Side/depth 25 mm (top) –
Wired	No
Wireless	Yes
IR options	No
Button configuration	5,10,15
Status lights	Yes
Backlit buttons	Yes, if plugged in. Backligh
Custom engraving	Available
Backbox type	N/A however a wall-mount

## Standard configurations available



-	58
-	35
-	16
-	12



_		6
		- 12
		1
-		- 14
_	91	14
-	Ê.	0
_	2	1.1

Custom\* configurations are also available.

\* Not all configurations are available for all product lines. Refer to individual product line specifications.

#### lutron.com/europe

56 in x 3.25 in) · 18 mm (base) (1.00 in - 0.75 in)

hting times out if battery powered.

nting option is available



# Architrave Keypad



Door narrow


Door wide



### Characteristics

Dimensions:	Door wide front 45.7 mm Door narrow front 34 mm Both models are 41.7 mm
Wired	Yes
Wireless	No
IR options	No
Button configuration	7 buttons
Status lights	Yes
Backlit buttons	No
Custom engraving	Available
Backbox type	111.76 mm (high) x 31.75 (4.4 in x 1.25 in x 2.75 in)

## Standard configurations available



Custom\* configurations are also available.

\* Not all configurations are available for all product lines. Refer to individual product line specifications.

n x 114.3 mm (1.80 in x 4.50 in) n x 114.3 mm (1.34 in x 4.50 in) m deep (1.65 in)

5 mm (wide) x 69.85 mm (deep)

# Palladiom Keypad and Thermostat



### Characteristics

	U.S. style
Dimensions:	Front 75mm x 119mm (2.9in x 4.7in) Side/depth 9mm (0.4in)
Wired	Yes
Wireless	No
IR options	No
Button configuration	2, 3, 3 with R/L, 4
Button columns	1
Status lights	Yes
Backlit buttons	Yes
Custom engraving	Available
Backbox type	Standard U.S. backbox

## Standard configurations available







			-		
		-	_	ł	
	3		-		

## Matching thermostats are available

4 2	72 **

3	_	(屋)
1	hH	-11
1.00	Last and	
10	10.	1.00
141		132/

lutron.com/europe

#### International style

1 column faceplate: Front 95mm x 95mm (3.75in x 3.75 in) Side/depth 8 mm (0.3 in) **2 column faceplate:** Front 102 mm (w) x 95 mm (h) (4.02 in x 3.75 in) Side/depth 8 mm (0.3 in)

Yes
No
No
2, 3, 3 with R/L, 4
1, 2
Yes
Yes
Available

Standard UK square/European round





2	
-	

# GRAFIK T Slider








## Characteristics

Dimensions:	Front 119mm x 75mm (4. Side/depth 11mm (0.42in
Wired	Yes
Wireless	No
IR options	No
Button configuration	Slider
Status lights	Yes
Backlit buttons	Yes on slider
Custom engraving	No
Backbox type	Standard U.S. backbox

## Standard configuration available







lutron.com/europe



|--|--|

# Pico RF Wireless Control





## Characteristics

Dimensions:	Front 33mm x 66mm (1.3 Side/depth 8mm (0.31in)
Wired	No
Wireless	Yes
IR options	No
Button configuration	From 2 to 5
Status lights	No
Backlit buttons	No
Custom engraving	Select from standard optic
Backbox type	N/A, however, a wall-mou

## Standard configurations available









wall mounted

lutron.com/europe

#### 30 in x 2.60 in), not including mounting

ons

unting option is available

I	



# QS Wallbox Closure Interface



## Characteristics

- Place in the wallbox behind a contact closure keypad
- Provides 8 contact closure inputs (CCIs), maintained or momentary

Dimensions:	Front 52 mm x 59.5 mm (2
Wired	Yes
Wireless	No
IR options	No
Configuration	8 contact closure inputs
Status lights	No
Backlit buttons	No
Custom engraving	No
Backbox type	N/A (fits inside a standard

(2.10 in x 2.40 in), depth 21 mm (0.9 in)

d UK square or European round backbox)

## Colours and finishes

You can choose keypad colours and styles to complement a room's look and feel, and to coordinate with the overall design of your home or building.

As a finishing touch, you can also add custom engraving to your keypad such as text, icons, and images.

#### Please note:

MATTE FINISHES • Palladiom keypads and thermostats are not available in Arctic White, Argentum, Mica, Snow, or Midnight

METAL FINISHESMatte White Metal

- is available for Signature Series and Architrave only
- All Anodized finishes are available for seeTouch, Signature Series, and Architrave only (not for Palladiom)
- Polished Graphite is available for Palladiom only

#### GLASS FINISHES

 Clear Black glass is available for Palladiom only

#### MATTE FINISHES

#### Arctic White (AW)

Argentum (AR) Mica (MC)

White (WH)

Light Almond (AV)

Beige (BE)

Almond (AL)

lvory (IV)

Taupe (TP)

Grey (GR)

Sienna (SI)

Brown (BR)

Black (BL)

Snow (SW)

Midnight (MN)

#### **METAL FINISHES**

Matte White Metal (WH) Satin Nickel (SN)

Satin Brass (SB)

Satin Chrome (SC)

Antique Brass (AB)

Antique Bronze (QZ)

Bright Nickel (BN)

Bright Brass (BB)

Bright Chrome (BC)

Black Anodized Aluminium<sup>+</sup> (BLA)

Brass Anodized Aluminium<sup>+</sup> (BRA)

Clear Anodized Aluminium<sup>+</sup> (CLA)

Gold Plated (AU)<sup>†</sup>

Polished Graphite (PG)

#### **GLASS FINISHES**

Clear White Glass (CWH)

Clear Black Glass (CBL)

<sup>†</sup> Custom finish

Not all keypad styles and colour/finishes are available with all Lutron systems. Please consult your system designer for further details.

	Architectural seeTouch	International seeTouch	Signature Series	RF seeTouch Tabletop	Architrave	Palladiom Keypad and Thermostat	GRAFIK T Slider	Pico RF Wireless Control
MATTE FINISHES								
Arctic White		٠						
Argentum								
Mica		٠						
White							٠	
Beige							٠	
Light Almond							٠	
Almond	•						٠	
lvory							٠	
Taupe							٠	
Grey							٠	
Sienna							٠	
Brown							٠	
Black							٠	
Snow								
Midnight								
METAL FINISHES								
Matte White Metal			•		•			
Satin Nickel	•	•	•	•	•		•	
Satin Brass		•	•	•	•		•	
Satin Chrome		•	•	•	•		•	
Antique Brass	•	•	•	•	•		•	
Antique Bronze	•	•	•	•	•		٠	
Bright Nickel	•	•	•	•	•		•	
Bright Brass	•	•	•	•	•	•	•	
Bright Chrome	•	•	•	•	•		٠	
Black Anodized Aluminium <sup>†</sup>	•	•	•	•	•		•	
Brass Anodized Aluminium <sup>†</sup>	•	•	•	•	•		٠	
Clear Anodized Aluminium <sup>†</sup>	•	•	•	•	•		٠	
Gold Plated <sup>†</sup>		•	•					
Polished Graphite								
GLASS FINISHES								
Clear White Glass		٠					٠	
Clear Black Glass							٠	


<sup>+</sup>Custom finish.

## Custom engraving

As a finishing touch, you can add custom engraving. Text, icons, and images are all possible.



Our laser-engraving capabilities include the following icons in either dark grey or white text.



### Icons and images

We have created a set of icons for engraving. You can choose from these or send us an original.



Instead of using words to describe the functions of each button, the customer chose to use icons.

### Fonts and languages

The engraved font can be changed from the standard Helvetica to nearly any font, including characters from any language.

#### Engraving guidelines

For images and icons, files must be provided in .dxf or high-res .pdf format. In some cases, images and icons may need to be resized to fit appropriately on a button or faceplate.

For custom fonts, you can provide true-type font files or request a font by name. You can also use an existing image or create a new one to place on the faceplate of the control. Common customisations include company logos.



This control features decorative faceplate engraving that was specifically designed to complement the room's décor.

## Custom controls

Lutron controls have always been well known for their beautiful aesthetic, intuitive nature, and variety of standard choices. For projects that require specific design elements, or an exceptionally high degree of detail, Lutron can help you create a unique control for each and every space.

#### Customised design features

- Faceplates can be customised to cover other devices
- Custom button shapes and sizes available
- Custom colours and finishes available
- LED colour options available for some controls



To discuss potential options on how a control can be designed to meet your needs, please contact your local Lutron representative.

You can download our Custom Controls brochure (367-1753) from our website, lutron.com/europe.

## Custom faceplates and buttons

The faceplate and buttons are the most noticeable components of a Lutron control. You can customise or create a faceplate and button to meet your design requirements.

We can also provide controls with buttons that are unique in size or shape, or that have a reduced number of buttons.

#### Custom bases

We can create control bases in many materials, sizes, and shapes to accommodate nearly any space and design. Customisation can include converting a standard wall control to a tabletop control

What we can customise - This faceplate was created to fit over a third-party thermostat and a Lutron keypad





Round button Architectural seeTouch keypad.



## Speciality controls

The Custom Controls Group can customise Lutron wallstations to change their basic functionality, configuration, or aesthetics to meet a specific application. Some limitations apply; please contact Lutron Customer Service for details.

Contact-closure control with seeTouch buttons.



Eight-scene IR remote control with custom metal finish.



#### WORLDWIDE HEADQUARTERS

Lutron Electronics Co., Inc. 7200 Suter Road Coopersburg, PA 18036-1299 USA Toll-free: 1 888 LUTRON1 TEL: +1 610 282 3800 FAX: +1 610 282 1243 intsales@lutron.com

#### EUROPEAN HEADQUARTERS

Lutron EA Ltd. 4th Floor, 52 Leadenhall Street London, EC3A 2EB, UK FREEPHONE: 0800 282 107 TEL: +44 (0)207 702 0657 FAX: +44 (0)207 480 6899 lutronlondon@lutron.com

#### ASIAN HEADQUARTERS

Lutron GL Ltd. 390 Havelock Road #07-04 King's Centre Singapore, 169662 TEL: +65.6220.4666 FAX: +65.6220.4333 lutronsea@lutron.com

#### European Experience Centre and registered address:

Lutron EA Ltd. 4th Floor, 125 Finsbury Pavement London EC2A 1NQ, UK FREEPHONE: 0800 282 107 TEL: +44 (0) 207 702 0657 FAX: +44 (0)207 480 6899 lutronlondon@lutron.com

#### INTERNATIONAL OFFICES

Brazil: São Paulo TEL: +55 11 3257 6745

China: Beijing TEL: +86 10 5925 1340

**China: Guangzhou** TEL: +86 20 2885 8378

China: Hong Kong TEL: +852 2104 7733

**China: Shanghai** TEL: +86 21 6165 0990

**Colombia: Bogotá** TEL: +57 1 634 1500

France: Paris TEL: +33 1 56 59 16 64 **Germany: Berlin** TEL: +49 309 710 4590

India: Bangalore TEL: +18001020093

India: Gurgaon TEL: +91 124 439 0130

India: Mumbai TEL: +18001020093

**Italy: Milan** TEL: +39 800 979 208

**Japan: Tokyo** TEL: +81 3 6866 8444

Mexico: Mexico TEL: +52 614 158 3435 **Russia: Moscow** TEL: +7 495 649 6094

**Saudi Arabia: Riyadh** TEL: +966 11 466 1546

**Spain: Barcelona** TEL: +34 93 222 1180

**UAE: Dubai** TEL: +971 4 299 1224

Call Toll-free: 800 1321 5858 from the following countries: Austria, Belgium, Bulgaria, Czech Republic, Hungary, Latvia, Luxembourg, Netherlands, Poland, Slovakia and Switzerland

©, Lutron, HomeWorks, Palladiom, Pico, Quantum, seeTouch, and Sivoia are trademarks of Lutron Electronics Co., Inc., registered in the U.S. and other countries.

Architrave, GRAFIK T, and Signature Series are trademarks of Lutron Electronics Co., Inc.





lutron.com/europe

Follow us on Twitter: @Lutron\_EU

© 01/2018 Lutron Electronics Co., Inc. P/N 367-3295/EA REV B